



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| BRAND | MODEL | BRAND | MODEL |
|-----------------------------------|-------------------------|-----------------------------------|-------------------------|
| Aeon Matrix | LTEyyxx | Aeon Matrix | LTPyyxx |
| Aeon Matrix | PROyyxx | Aeon Matrix | YDNyyxx |
| Alex-Tronix | Enercon Plus 4-24 | Baseline | BL-1000X-XX |
| Baseline | BL-3200X-XX | Brilliant Integrated Technologies | ICS 44*1 |
| Brilliant Integrated Technologies | ICS 54*1 | Calsense | CS3-2W-XXX, YY |
| Calsense | CS3-XX-XXX, YY | Cyber-Rain | 01XCIPA08 |
| Cyber-Rain | 01XCIPA16 | Cyber-Rain | 01XCIPC08 |
| Cyber-Rain | 01XCIPC08-G | Cyber-Rain | 01XCIPC16 |
| Cyber-Rain | 01XCIPC16-G | Cyber-Rain | 01XCIP08-1W |
| Cyber-Rain | 01XCIP08-24 | Cyber-Rain | 01XCIP08-16-1W |
| Cyber-Rain | 01XCIP08-16-24 | Cyber-Rain | 01XCIP08-24-1W |
| Cyber-Rain | 01XCIP08-24-24 | Cyber-Rain | 01XCIPS08-24 |
| Cyber-Rain | 01XCIPS08-900 | Cyber-Rain | 01XCIPS16-24 |
| Cyber-Rain | 01XCIPS16-900 | Cyber-Rain | 01XCIPS24-24 |
| Cyber-Rain | 01XCIPS24-900 | Cyber-Rain | 01XCISC08-G |
| Cyber-Rain | 01XCISC16-G | Desert Irrigation | DISC 1200 |
| Desert Irrigation | DISC 2400 | Desert Irrigation | DISC 3600 |
| Desert Irrigation | DISC 4800 | Desert Irrigation | SUI Genesis X |
| Desert Irrigation | SUI Genesis Y | Et Water | 105 |
| Et Water | 204W-* | Et Water | 205 |
| Et Water | ETw-HC | Et Water | ETw-HC2 |
| Hunter | A2C-1200*-SOLARSYNC-SEN | Hunter | A2C-1200*-WSS-SEN |
| Hunter | A2C-75D*-SOLARSYNC-SEN | Hunter | A2C-75D*-WSS-SEN |
| Hunter | ACC-1200*-SOLARSYNC | Hunter | ACC-1200*-SOLARSYNC-SEN |
| Hunter | ACC-1200*-WSS-SEN | Hunter | ACC-99D*-SOLARSYNC-SEN |
| Hunter | ACC-99D*-WSS-SEN | Hunter | HC-1200i |
| Hunter | HC-1201A | Hunter | HC-1201i* |
| Hunter | HC-600i | Hunter | HC-601A |
| Hunter | HC-601i* | Hunter | I2C800*-SOLARSYNC-SEN |
| Hunter | I2C800*-WSS-SEN | Hunter | IC-600*-SOLARSYNC |
| Hunter | IC-600*-SOLARSYNC-SEN | Hunter | IC-600*-WSS-SEN |
| Hunter | PC-300-SOLARSYNC | Hunter | PC-300-WSS |
| Hunter | PC-300i-SOLARSYNC | Hunter | PC-300i-WSS |
| Hunter | PC-400-SOLARSYNC | Hunter | PC-400-SOLARSYNC-SEN |
| Hunter | PC-400-WSS-SEN | Hunter | PC-400i-SOLARSYNC |



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| BRAND | MODEL | BRAND | MODEL |
|--------------|-----------------------|--------------|------------------------|
| Hunter | PC-400i-SOLARSYNC-SEN | Hunter | PC-400i-WSS-SEN |
| Hunter | PCC-x00-SOLARSYNC-SEN | Hunter | PCC-x00-WSS |
| Hunter | PCC-x00-WSS-SEN | Hunter | PCC-x00i-SOLARSYNC-SEN |
| Hunter | PCC-x00i-WSS | Hunter | PCC-x00i-WSS-SEN |
| Hunter | PHC-1200 | Hunter | PHC-1200i |
| Hunter | PHC-1201* | Hunter | PHC-1201i* |
| Hunter | PHC-2400 | Hunter | PHC-2400i |
| Hunter | PHC-2401* | Hunter | PHC-2401i* |
| Hunter | PHC-600 | Hunter | PHC-600i |
| Hunter | PHC-601* | Hunter | PHC-601i* |
| Hunter | SOLARSYNC | Hunter | SOLARSYNC-SEN |
| Hunter | WSS | Hunter | WSS-SEN |
| Hunter | XC-x00-SOLARSYNC-SEN | Hunter | XC-x00-WSS |
| Hunter | XC-x00-WSS-SEN | Hunter | XC-x00i-SOLARSYNC-SEN |
| Hunter | XC-x00i-WSS | Hunter | XC-x00i-WSS-SEN |
| Hybridh2o | HC-12 | Hybridh2o | HC-24 |
| Hybridh2o | HC-36 | Hybridh2o | HC-72 |
| Hydrawise | HWC-006-US | Hydrawise | HWC-012-US |
| Hydropoint | WTLC-C-X-PL | Hydropoint | WTLC-C-X-PL-F |
| Hydropoint | WTPRO2S-B-X-CH1 | Hydropoint | WTPRO2S-B-X-CH2 |
| Hydropoint | WTPRO2S-B-X-CH4 | Hydropoint | WTPRO2S-B-X-CH5 |
| Hydropoint | WTPRO2S-B-X-CH7 | Hydropoint | WTPRO2S-B-X-CWM |
| Hydropoint | WTPRO2S-B-X-SPH | Hydropoint | WTPRO2S-B-X-SPS |
| Hydropoint | WTPRO2S-B-X-SPT | Hydropoint | WTPRO2S-B-X-SWM |
| Hydropoint | WTPRO2S-C-X-CH1 | Hydropoint | WTPRO2S-C-X-CH2 |
| Hydropoint | WTPRO2S-C-X-CH4 | Hydropoint | WTPRO2S-C-X-CH5 |
| Hydropoint | WTPRO2S-C-X-CH7 | Hydropoint | WTPRO2S-C-X-CWM |
| Hydropoint | WTPRO2S-C-X-SPH | Hydropoint | WTPRO2S-C-X-SPS |
| Hydropoint | WTPRO2S-C-X-SPT | Hydropoint | WTPRO2S-C-X-SWM |
| Hydropoint | WTPRO3-C-X-CH1-* | Hydropoint | WTPRO3-C-X-CH2-* |
| Hydropoint | WTPRO3-C-X-CH4-* | Hydropoint | WTPRO3-C-X-CH5-* |
| Hydropoint | WTPRO3-C-X-CH7-* | Hydropoint | WTPRO3-C-X-CWM-* |
| Hydropoint | WTPRO3-C-X-SPH-* | Hydropoint | WTPRO3-C-X-SPS-* |
| Hydropoint | WTPRO3-C-X-SPT-* | Hydropoint | WTPRO3-C-X-SWM-* |
| Hydropoint | WTSY-C-X-PL | Hydropoint | WTSY-C-X-PL-F |
| Hydrorain | 4080 | Hydrorain | 4082 |
| Irrisoft | Clc | Irrisoft | Cle |
| Irrisoft | CLw | Irritrol | KDX-* |
| Irritrol | MC-XE | Irritrol | RDX00-*-R |
| Irritrol | RME-X-i-* | Irritrol | RMEXEgi-* |



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------------|--------------|--------------------|--------------|
| Irritrol | TC-YEX-R | Irritrol | TC-YIN-R |
| Netafim Usa | NLC-100D | Netafim Usa | NLC-100S |
| Nxeco | HWN12-100 | Nxeco | HWN12-200 |
| Nxeco | HWN8-200 | Nxeco | HWQ12-100 |
| Nxeco | HWT18-100 | Onpoint Ecosystems | WS1008 |
| Onpoint Ecosystems | WS1016 | Orbit | 57946 |
| Orbit | 57950 | Orbit | 91946 |
| Orbit | 91950 | Rachio | 16ZULW* |
| Rachio | 16ZULW-B* | Rachio | 16ZULWB* |
| Rachio | 8ZULW* | Rachio | 8ZULW-B* |
| Rachio | Iro 16 Zone | Rachio | Iro 8 Zone |
| Rain Bird | ESP-4-SMTE | Rain Bird | ESP-4-SMTEI |
| Rain Bird | ESP-SMT-4 | Rain Bird | ESP-SMT-4i |
| Rain Bird | ESP-SMT-UPG | Rain Bird | ESP-SMTE-UPG |
| Rain Bird | ESPLXD-ET | Rain Bird | ESPLXME-ET |
| Rain Bird | ETC-LX | Rain Bird | IQ2 |
| Rain Bird | IQ3G-USA | Rain Bird | IQNCC3G |
| Rain Bird | IQNCCEN | Rain Bird | IQNCCRS |
| Rain Bird | IQNCCWF | Rain Bird | LNK WiFi |
| Rain Bird | SST-1200s | Rain Bird | SST-600s |
| Rain Bird | ST8x-WiFi | Rain Master | DX12-PSB |
| Rain Master | DX12-PWM | Rain Master | DX12-SPED |
| Rain Master | DX12-SWM | Rain Master | DX12-UFEN |
| Rain Master | DX18-PSB | Rain Master | DX18-PWM |
| Rain Master | DX18-SPED | Rain Master | DX18-SWM |
| Rain Master | DX18-UFEN | Rain Master | DX24-PSB |
| Rain Master | DX24-PWM | Rain Master | DX24-SPED |
| Rain Master | DX24-SWM | Rain Master | DX24-UFEN |
| Rain Master | DX30-PSB | Rain Master | DX30-PWM |
| Rain Master | DX30-SPED | Rain Master | DX30-SWM |
| Rain Master | DX30-UFEN | Rain Master | DX36-PSB |
| Rain Master | DX36-PWM | Rain Master | DX36-SPED |
| Rain Master | DX36-SWM | Rain Master | DX36-UFEN |
| Rain Master | DX42-PSB | Rain Master | DX42-PWM |
| Rain Master | DX42-SPED | Rain Master | DX42-SWM |
| Rain Master | DX42-UFEN | Rain Master | DX48-PSB |
| Rain Master | DX48-PWM | Rain Master | DX48-SPED |
| Rain Master | DX48-SWM | Rain Master | DX48-UFEN |
| Rain Master | DX6-PSB | Rain Master | DX6-PWM |
| Rain Master | DX6-SPED | Rain Master | DX6-SWM |



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| BRAND | MODEL | BRAND | MODEL |
|--------------|-----------------|--------------|----------------|
| Rain Master | DX6-UFEN | Rain Master | EGP-16-i |
| Rain Master | EGP-16-i-S | Rain Master | EGP-16-i-SPED |
| Rain Master | EGP-24-i | Rain Master | EGP-24-i-S |
| Rain Master | EGP-24-i-SPED | Rain Master | EGP-32-i |
| Rain Master | EGP-32-i-S | Rain Master | EGP-32-i-SPED |
| Rain Master | EGP-40-i | Rain Master | EGP-40-i-S |
| Rain Master | EGP-40-i-SPED | Rain Master | EGP-48-i |
| Rain Master | EGP-48-i-S | Rain Master | EGP-48-i-SPED |
| Rain Master | EGP-8-i | Rain Master | EGP-8-i-PSB |
| Rain Master | EGP-8-i-S | Rain Master | EGP-8-i-SPED |
| Rain Master | EGP-TWi | Rain Master | EGP-TWi-PSD |
| Rain Master | EGP-TWi-S | Rain Master | EGP-TWi-SPED |
| Rain Master | RME12EGi-B | Rain Master | RME12EGi-SB |
| Rain Master | RME12EGi-SPED | Rain Master | RME12EGi-SPEDT |
| Rain Master | RME12EGi-ST | Rain Master | RME12EGi-T |
| Rain Master | RME12EGi-W | Rain Master | RME18EGi-B |
| Rain Master | RME18EGi-SB | Rain Master | RME18EGi-SPED |
| Rain Master | RME18EGi-SPEDT | Rain Master | RME18EGi-ST |
| Rain Master | RME18EGi-T | Rain Master | RME18EGi-W |
| Rain Master | RME24EGi-B | Rain Master | RME24EGi-SB |
| Rain Master | RME24EGi-SPED | Rain Master | RME24EGi-SPEDT |
| Rain Master | RME24EGi-ST | Rain Master | RME24EGi-T |
| Rain Master | RME24EGi-W | Rain Master | RME30EGi-B |
| Rain Master | RME30EGi-SB | Rain Master | RME30EGi-SPED |
| Rain Master | RME30EGi-SPEDT | Rain Master | RME30EGi-ST |
| Rain Master | RME30EGi-T | Rain Master | RME30EGi-W |
| Rain Master | RME36EGi-B | Rain Master | RME36EGi-SB |
| Rain Master | RME36EGi-SPED | Rain Master | RME36EGi-SPEDT |
| Rain Master | RME36EGi-ST | Rain Master | RME36EGi-T |
| Rain Master | RME36EGi-W | Rain Master | RME6EGi-B |
| Rain Master | RME6EGi-SB | Rain Master | RME6EGi-SPED |
| Rain Master | RME6EGi-SPEDT | Rain Master | RME6EGi-ST |
| Rain Master | RME6EGi-T | Rain Master | RME6EGi-W |
| Rain Master | TW-DX48-PSB | Rain Master | TW-DX48-PWM |
| Rain Master | TW-DX48-SPED-T | Rain Master | TW-DX48-SWM |
| Rain Master | TW-EGi-36-SPEDT | Rain Master | TW-EGi-36-ST |
| Rain Master | TW-EGi-36-T | Raindrip | RSC600is |
| Rainmachine | SPK2-8 | Rainmachine | SPK3-12 |
| Rainmachine | SPK3-16 | Rainpal | RainPal Comm |
| Rainpal | RainPal Mini | Rainpal | RainPal Pro |



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal WaterSmart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| BRAND | MODEL | BRAND | MODEL |
|--------------|-------------------------------|--------------|-------------------------------|
| Signature | 8210-zz-la-USA1 | Signature | 8240-zz-la-USA1 |
| Signature | 8250-zz-la-USA1 | Signature | 8255-zz-la-USA1 |
| Signature | 8260-zz-la-USA1 | Signature | 8310-zz-la-USA1 |
| Signature | 8340-zz-la-USA1 | Signature | 8360-zz-la-USA1 |
| Signature | 8600-zz-la-USA1 | Signature | 8700-zz-la-USA1 |
| Signature | 8700D-zz-la-USA1 | Signature | 8700VM-zz-la-USA1 |
| Signature | 8755-zz-la-USA1 | Signature | 87VM SaaabvcuzzzXf1 |
| Signature | 8800-zz-la-USA1 | Signature | AUTSaabvcuzzzXf1 |
| Signature | AUTSLWY1A PxxxX4 ¹ | Signature | AUTSLWY1A PzzzXf1 |
| Signature | AUTSLWY1A SxxxX4 ¹ | Signature | AUTSLWY1A SzzzXf1 |
| Signature | AUTSLWY1B PxxxX4 ¹ | Signature | AUTSLWY1B PzzzXf1 |
| Signature | AUTSLWY1B SxxxX4 ¹ | Signature | AUTSLWY1B SzzzXf1 |
| Signature | AUTSLWY1D PxxxX4 ¹ | Signature | AUTSLWY1D PzzzXf1 |
| Signature | AUTSPE*1B PxxxX4 ¹ | Signature | AUTSPE*1B PzzzXf1 |
| Signature | AUTSPE*1B SxxxX4 ¹ | Signature | AUTSPE*1B SzzzXf1 |
| Signature | AUTSPE*1C PxxxX4 ¹ | Signature | AUTSPE*1C PzzzXf1 |
| Signature | AUTSPE*1C SxxxX4 ¹ | Signature | AUTSPE*1C SzzzXf1 |
| Signature | AUTSPE*1D PxxxX4 ¹ | Signature | AUTSPE*1D PzzzXf1 |
| Signature | GALSaabvcuzzzXf1 | Signature | GALSLWY1A PxxxX4 ¹ |
| Signature | GALSLWY1A PzzzXf1 | Signature | GALSLWY1A SxxxX4 ¹ |
| Signature | GALSLWY1A SzzzXf1 | Signature | GALSLWY1B PxxxX4 ¹ |
| Signature | GALSLWY1B PzzzXf1 | Signature | GALSLWY1B SxxxX4 ¹ |
| Signature | GALSLWY1B SzzzXf1 | Signature | GALSLWY1D PxxxX4 ¹ |
| Signature | GALSLWY1D PzzzXf1 | Signature | GALSPE*1B PxxxX4 ¹ |
| Signature | GALSPE*1B PzzzXf1 | Signature | GALSPE*1B SxxxX4 ¹ |
| Signature | GALSPE*1B SzzzXf1 | Signature | GALSPE*1C PxxxX4 ¹ |
| Signature | GALSPE*1C PzzzXf1 | Signature | GALSPE*1C SxxxX4 ¹ |
| Signature | GALSPE*1C SzzzXf1 | Signature | GALSPE*1D PxxxX4 ¹ |
| Signature | GALSPE*1D PzzzXf1 | Signature | GALSSWYSE S006X4 ¹ |
| Signature | GALSSWYSE S006Xf1 | Signature | SHAREB8250W ¹ |
| Signature | SHAREB8255S ¹ | Signature | SHAREB8603W ¹ |
| Signature | SHAREB8608W ¹ | Signature | SHAREB8612W ¹ |
| Signature | SHAREB8616W ¹ | Signature | SHAREB8620W ¹ |
| Signature | SHAREB8624W ¹ | Signature | WYZE-IDE1 |
| Signature | WYZE-IDW1 | Signature | WYZE-ODW1 |
| Skydrop | SDCRW1.0 | Skydrop | SDCWB1.0 |
| Toro | 53855 | Toro | CC-* -X |
| Toro | EVO-4* | Toro | TIS-X-* |
| Toro | TIS-XP-* | Toro | TMC-212-* |
| Toro | TMC-424E-* | Tucor | LTD |



THE METROPOLITAN WATER DISTRICT
OF SOUTHERN CALIFORNIA

Weather Based Irrigation Controllers

Qualifying Products List as of June 19, 2017

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|--------------|--------------|--------------|
| Tucor | RKD | Tucor | RKD+ |
| Tucor | RKS | Tucor | RKS+ |
| Tucor | RKW+ | Weathermatic | SL1604-SLW1 |
| Weathermatic | SL1604-SLW15 | Weathermatic | SL1604-SLW5 |
| Weathermatic | SL1608-SLW1 | Weathermatic | SL1608-SLW15 |
| Weathermatic | SL1608-SLW5 | Weathermatic | SL1612-SLW1 |
| Weathermatic | SL1612-SLW15 | Weathermatic | SL1612-SLW5 |
| Weathermatic | SL1616-SLW1 | Weathermatic | SL1616-SLW15 |
| Weathermatic | SL1616-SLW5 | Weathermatic | SL1620-SLW1 |
| Weathermatic | SL1620-SLW15 | Weathermatic | SL1620-SLW5 |
| Weathermatic | SL1624-SLW1 | Weathermatic | SL1624-SLW15 |
| Weathermatic | SL1624-SLW5 | Weathermatic | SL4812-SLW1 |
| Weathermatic | SL4812-SLW15 | Weathermatic | SL4812-SLW5 |
| Weathermatic | SL4824-SLW1 | Weathermatic | SL4824-SLW15 |
| Weathermatic | SL4824-SLW5 | Weathermatic | SL4836-SLW1 |
| Weathermatic | SL4836-SLW15 | Weathermatic | SL4836-SLW5 |
| Weathermatic | SL4848-SLW1 | Weathermatic | SL4848-SLW15 |
| Weathermatic | SL4848-SLW5 | Weathermatic | SL804-SLW1 |
| Weathermatic | SL804-SLW15 | Weathermatic | SL804-SLW5 |
| Weathermatic | SL806-SLW1 | Weathermatic | SL806-SLW15 |
| Weathermatic | SL806-SLW5 | Weathermatic | SL808-SLW1 |
| Weathermatic | SL808-SLW15 | Weathermatic | SL808-SLW5 |