

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Aeon Matrix	LTEyyxx	Aeon Matrix	LTPyyxx
Aeon Matrix	PROyyxx	Aeon Matrix	YDNyyxx
Banyan Water	Vine8	Baseline	BL-1000X-XX
Baseline	BL-3200X-XX	Blossom	AWICD-0080
Blossom	AWICD-0100	Calsense	CS3-2W-XXX, YY
Calsense	CS3-XX-XXX, YY	Cyber-Rain	01XCIPA08
Cyber-Rain	01XCIPC08	Cyber-Rain	01XCIPC08-G
Cyber-Rain	01XCIPC16	Cyber-Rain	01XCIP08-1W
Cyber-Rain	01XCIP08-24	Cyber-Rain	01XCIP16-1W
Cyber-Rain	01XCIP16-24	Cyber-Rain	01XCIP24-1W
Cyber-Rain	01XCIPS08-24	Cyber-Rain	01XCIPS08-900
Cyber-Rain	01XCIPS16-24	Cyber-Rain	01XCIPS16-900
Cyber-Rain	01XCIPS24-900	Cyber-Rain	01XCISC08-G
Cyber-Rain	01XCISC16-G	DIG Corporation	LEIT-2ET
DIG Corporation	LEIT-2ET-x	Etwater	105
Etwater	205	Etwater	204W-*
GreenIQ	GIQ-SYS-US-16C1	GreenIQ	GIQ-SYS-US-16C2
GreenIQ	GIQ-SYS-US-8C1	GreenIQ	GIQ-SYS-US-8C2
GreenIQ	GIQ-USWIF-HS1/EN	H2OPro	HA-1060-8
Hunter	HC-1200i	Hunter	HC-1201i*
Hunter	HC-600i	Hunter	HC-601i*
Hunter	HCC-800M	Hunter	HCC-800PL
Hunter	HCC-800PP	Hunter	HCC-800SS
Hunter	HPC-400	Hunter	HPC-401*
Hunter	PHC-1200	Hunter	PHC-1200i
Hunter	PHC-1201*	Hunter	PHC-1201i*
Hunter	PHC-2400	Hunter	PHC-2400i
Hunter	PHC-2401*	Hunter	PHC-2401i*
Hunter	PHC-600	Hunter	PHC-600i
Hunter	PHC-601*	Hunter	PHC-601i*
HydroPoint	WTLC-C-X-PL	HydroPoint	WTLC-C-X-PL
HydroPoint	WTLC-C-X-PL-F	HydroPoint	WTLC-C-X-PL-F
HydroPoint	WTOXR-1224-PROUPG	HydroPoint	WTOXR-1224-PROUPG-CH7
HydroPoint	WTOXR-3048-PROUPG	HydroPoint	WTOXR-3048-PROUPG-CH7
HydroPoint	WTOXR-72-PROUPG	HydroPoint	WTOXR-72-PROUPG-CH7
HydroPoint	WTOXR-96-PROUPG	HydroPoint	WTOXR-96-PROUPG-CH7
HydroPoint	WTOXR-C-X-CH1-*	HydroPoint	WTOXR-C-X-CH2-*
HydroPoint	WTOXR-C-X-CH4-*	HydroPoint	WTOXR-C-X-CH5-*
HydroPoint	WTOXR-C-X-CH7-*	HydroPoint	WTOXR-C-X-CH8-*
HydroPoint	WTOXR-C-X-CWM-*	HydroPoint	WTOXR-C-X-SPH-*

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
HydroPoint	WTOXR-C-X-SPS-*	HydroPoint	WTOXR-C-X-SPT-*
HydroPoint	WTOXR-C-X-STW-*	HydroPoint	WTOXR-C-X-SWM-*
HydroPoint	WTPRO2S-B-X-CH1	HydroPoint	WTPRO2S-B-X-CH2
HydroPoint	WTPRO2S-B-X-CH4	HydroPoint	WTPRO2S-B-X-CH5
HydroPoint	WTPRO2S-B-X-CH7	HydroPoint	WTPRO2S-B-X-CWM
HydroPoint	WTPRO2S-B-X-SPH	HydroPoint	WTPRO2S-B-X-SPS
HydroPoint	WTPRO2S-B-X-SPT	HydroPoint	WTPRO2S-B-X-SWM
HydroPoint	WTPRO2S-C-X-CH1	HydroPoint	WTPRO2S-C-X-CH2
HydroPoint	WTPRO2S-C-X-CH4	HydroPoint	WTPRO2S-C-X-CH5
HydroPoint	WTPRO2S-C-X-CH7	HydroPoint	WTPRO2S-C-X-CWM
HydroPoint	WTPRO2S-C-X-SPH	HydroPoint	WTPRO2S-C-X-SPS
HydroPoint	WTPRO2S-C-X-SPT	HydroPoint	WTPRO2S-C-X-SWM
HydroPoint	WTPRO3-1224-PRO3UPG	HydroPoint	WTPRO3-3048-PRO3UPG
HydroPoint	WTPRO3-3048-PRO3UPG	HydroPoint	WTPRO3-C-12-CH1-UPG
HydroPoint	WTPRO3-C-12-CH2-UPG	HydroPoint	WTPRO3-C-12-CH4-UPG
HydroPoint	WTPRO3-C-12-CH5-UPG	HydroPoint	WTPRO3-C-18-CH1-UPG
HydroPoint	WTPRO3-C-18-CH2-UPG	HydroPoint	WTPRO3-C-18-CH4-UPG
HydroPoint	WTPRO3-C-18-CH5-UPG	HydroPoint	WTPRO3-C-24-CH1-UPG
HydroPoint	WTPRO3-C-24-CH2-UPG	HydroPoint	WTPRO3-C-24-CH4-UPG
HydroPoint	WTPRO3-C-24-CH5-UPG	HydroPoint	WTPRO3-C-30-CH1-UPG
HydroPoint	WTPRO3-C-30-CH2-UPG	HydroPoint	WTPRO3-C-30-CH4-UPG
HydroPoint	WTPRO3-C-30-CH5-UPG	HydroPoint	WTPRO3-C-36-CH1-UPG
HydroPoint	WTPRO3-C-36-CH2-UPG	HydroPoint	WTPRO3-C-36-CH4-UPG
HydroPoint	WTPRO3-C-36-CH5-UPG	HydroPoint	WTPRO3-C-42-CH1-UPG
HydroPoint	WTPRO3-C-42-CH2-UPG	HydroPoint	WTPRO3-C-42-CH4-UPG
HydroPoint	WTPRO3-C-42-CH5-UPG	HydroPoint	WTPRO3-C-48-CH1-UPG
HydroPoint	WTPRO3-C-48-CH2-UPG	HydroPoint	WTPRO3-C-48-CH4-UPG
HydroPoint	WTPRO3-C-48-CH5-UPG	HydroPoint	WTPRO3-C-X-CH1-*
HydroPoint	WTPRO3-C-X-CH2-*	HydroPoint	WTPRO3-C-X-CH4-*
HydroPoint	WTPRO3-C-X-CH5-*	HydroPoint	WTPRO3-C-X-CH7-*
HydroPoint	WTPRO3-C-X-CWM-*	HydroPoint	WTPRO3-C-X-SPH-*
HydroPoint	WTPRO3-C-X-SPS-*	HydroPoint	WTPRO3-C-X-SPT-*
HydroPoint	WTPRO3-C-X-STW-*	HydroPoint	WTPRO3-C-X-SWM-*
HydroPoint	WTSY-C-X-PL	HydroPoint	WTSY-C-X-PL-F
Hydro-Rain	04050	Hydro-Rain	04060
Hydro-Rain	04080	Hydro-Rain	04082
Hydro-Rain	04080L	Hydro-Rain	04082L
Netafim USA	NLC-100D	Netafim USA	NLC-100S
Netafim USA	NLC-100S	NETRO	Spark-16
NETRO	Spark-8	NETRO	Sprite-12

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
NETRO	Sprite-12-INT	NETRO	Sprite-6
NETRO	Sprite-6-INT	Nxeco	HWN12-100
Nxeco	HWN12-200	Nxeco	HWN8-200
Nxeco	HWQ12-100	Nxeco	HWT18-100
Orbit	21006	Orbit	57915
Orbit	57925	Orbit	57946
Orbit	57950	Orbit	91915
Orbit	91925	Orbit	91946
Orbit	91950	Orbit	94546
Orbit	94550	Orbit	94870
Orbit	94872	Orbit	94915
Orbit	94925	Orbit	94991
Orbit	96046	Orbit	96050
Orbit	96506	Orbit	96870
Orbit	96872	Orbit	96915
Orbit	96925	Rachio	12ZULWC*
Rachio	12ZULW-C*	Rachio	16ZULW*
Rachio	16ZULWB*	Rachio	16ZULW-B*
Rachio	16ZULWBPRO*	Rachio	16ZULWC*
Rachio	16ZULW-C*	Rachio	8ZULW*
Rachio	8ZULWB*	Rachio	8ZULW-B*
Rachio	8ZULWBPRO*	Rachio	8ZULWC*
Rachio	8ZULW-C*	Rachio	Iro 16 Zone
Rachio	Iro 8 Zone	Rain Bird	ST8I-2.0
Rain Bird	ST8O-2.0	RainMachine	SPK2-8
RainMachine	SPK3-12	RainMachine	SPK3-16
RainMachine	SPK5-16	RainMachine	SPK5-8
RAINMASTER	DX12-PSB	RAINMASTER	DX12-PWM
RAINMASTER	DX12-SPED	RAINMASTER	DX12-SWM
RAINMASTER	DX12-UFEN	RAINMASTER	DX18-PSB
RAINMASTER	DX18-PWM	RAINMASTER	DX18-SPED
RAINMASTER	DX18-SWM	RAINMASTER	DX18-UFEN
RAINMASTER	DX24-PSB	RAINMASTER	DX24-PWM
RAINMASTER	DX24-SPED	RAINMASTER	DX24-SWM
RAINMASTER	DX24-UFEN	RAINMASTER	DX30-PSB
RAINMASTER	DX30-PWM	RAINMASTER	DX30-SPED
RAINMASTER	DX30-SWM	RAINMASTER	DX30-UFEN
RAINMASTER	DX36-PSB	RAINMASTER	DX36-PWM
RAINMASTER	DX36-SPED	RAINMASTER	DX36-SWM
RAINMASTER	DX36-UFEN	RAINMASTER	DX3-DPSB56

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-DPSB56M8C	RAINMASTER	DX3-DPSB56M8CP
RAINMASTER	DX3-DPSB56M8U	RAINMASTER	DX3-DPSB56M8UP
RAINMASTER	DX3-DPSB56M8W	RAINMASTER	DX3-DPSB56M8WP
RAINMASTER	DX3-DPSB56P	RAINMASTER	DX3-DPSB64
RAINMASTER	DX3-DPSB64M8C	RAINMASTER	DX3-DPSB64M8CP
RAINMASTER	DX3-DPSB64M8U	RAINMASTER	DX3-DPSB64M8UP
RAINMASTER	DX3-DPSB64M8W	RAINMASTER	DX3-DPSB64M8WP
RAINMASTER	DX3-DPSB64P	RAINMASTER	DX3-DPSB72
RAINMASTER	DX3-DPSB72M8C	RAINMASTER	DX3-DPSB72M8CP
RAINMASTER	DX3-DPSB72M8U	RAINMASTER	DX3-DPSB72M8UP
RAINMASTER	DX3-DPSB72M8W	RAINMASTER	DX3-DPSB72M8WP
RAINMASTER	DX3-DPSB72P	RAINMASTER	DX3-DPSB80
RAINMASTER	DX3-DPSB80M8C	RAINMASTER	DX3-DPSB80M8CP
RAINMASTER	DX3-DPSB80M8U	RAINMASTER	DX3-DPSB80M8UP
RAINMASTER	DX3-DPSB80M8W	RAINMASTER	DX3-DPSB80M8WP
RAINMASTER	DX3-DPSB80P	RAINMASTER	DX3-DPSB88
RAINMASTER	DX3-DPSB88M8C	RAINMASTER	DX3-DPSB88M8CP
RAINMASTER	DX3-DPSB88M8U	RAINMASTER	DX3-DPSB88M8UP
RAINMASTER	DX3-DPSB88M8W	RAINMASTER	DX3-DPSB88M8WP
RAINMASTER	DX3-DPSB88P	RAINMASTER	DX3-DPSB96
RAINMASTER	DX3-DPSB96M8C	RAINMASTER	DX3-DPSB96M8CP
RAINMASTER	DX3-DPSB96M8U	RAINMASTER	DX3-DPSB96M8UP
RAINMASTER	DX3-DPSB96M8W	RAINMASTER	DX3-DPSB96M8WP
RAINMASTER	DX3-DPSB96P	RAINMASTER	DX3-PPED08
RAINMASTER	DX3-PPED08M8C	RAINMASTER	DX3-PPED08M8CP
RAINMASTER	DX3-PPED08M8U	RAINMASTER	DX3-PPED08M8UP
RAINMASTER	DX3-PPED08M8W	RAINMASTER	DX3-PPED08M8WP
RAINMASTER	DX3-PPED08P	RAINMASTER	DX3-PPED16
RAINMASTER	DX3-PPED16M8C	RAINMASTER	DX3-PPED16M8CP
RAINMASTER	DX3-PPED16M8U	RAINMASTER	DX3-PPED16M8UP
RAINMASTER	DX3-PPED16M8W	RAINMASTER	DX3-PPED16M8WP
RAINMASTER	DX3-PPED16P	RAINMASTER	DX3-PPED24
RAINMASTER	DX3-PPED24M8C	RAINMASTER	DX3-PPED24M8CP
RAINMASTER	DX3-PPED24M8U	RAINMASTER	DX3-PPED24M8UP
RAINMASTER	DX3-PPED24M8W	RAINMASTER	DX3-PPED24M8WP
RAINMASTER	DX3-PPED24P	RAINMASTER	DX3-PPED32
RAINMASTER	DX3-PPED32M8C	RAINMASTER	DX3-PPED32M8CP
RAINMASTER	DX3-PPED32M8U	RAINMASTER	DX3-PPED32M8UP
RAINMASTER	DX3-PPED32M8W	RAINMASTER	DX3-PPED32M8WP
RAINMASTER	DX3-PPED32P	RAINMASTER	DX3-PPED40

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PPED40M8C	RAINMASTER	DX3-PPED40M8CP
RAINMASTER	DX3-PPED40M8U	RAINMASTER	DX3-PPED40M8UP
RAINMASTER	DX3-PPED40M8W	RAINMASTER	DX3-PPED40M8WP
RAINMASTER	DX3-PPED40P	RAINMASTER	DX3-PPED48
RAINMASTER	DX3-PPED48M8C	RAINMASTER	DX3-PPED48M8CP
RAINMASTER	DX3-PPED48M8U	RAINMASTER	DX3-PPED48M8UP
RAINMASTER	DX3-PPED48M8W	RAINMASTER	DX3-PPED48M8WP
RAINMASTER	DX3-PPED48P	RAINMASTER	DX3-PPEDTW
RAINMASTER	DX3-PPEDTWM8C	RAINMASTER	DX3-PPEDTWM8CP
RAINMASTER	DX3-PPEDTWM8U	RAINMASTER	DX3-PPEDTWM8UP
RAINMASTER	DX3-PPEDTWM8W	RAINMASTER	DX3-PPEDTWM8WP
RAINMASTER	DX3-PPEDTWP	RAINMASTER	DX3-PSB08
RAINMASTER	DX3-PSB08M8C	RAINMASTER	DX3-PSB08M8CP
RAINMASTER	DX3-PSB08M8U	RAINMASTER	DX3-PSB08M8UP
RAINMASTER	DX3-PSB08M8W	RAINMASTER	DX3-PSB08M8WP
RAINMASTER	DX3-PSB08P	RAINMASTER	DX3-PSB16
RAINMASTER	DX3-PSB16M8C	RAINMASTER	DX3-PSB16M8CP
RAINMASTER	DX3-PSB16M8U	RAINMASTER	DX3-PSB16M8UP
RAINMASTER	DX3-PSB16M8W	RAINMASTER	DX3-PSB16M8WP
RAINMASTER	DX3-PSB16P	RAINMASTER	DX3-PSB24
RAINMASTER	DX3-PSB24M8C	RAINMASTER	DX3-PSB24M8CP
RAINMASTER	DX3-PSB24M8U	RAINMASTER	DX3-PSB24M8UP
RAINMASTER	DX3-PSB24M8W	RAINMASTER	DX3-PSB24M8WP
RAINMASTER	DX3-PSB24P	RAINMASTER	DX3-PSB32
RAINMASTER	DX3-PSB32M8C	RAINMASTER	DX3-PSB32M8CP
RAINMASTER	DX3-PSB32M8U	RAINMASTER	DX3-PSB32M8UP
RAINMASTER	DX3-PSB32M8W	RAINMASTER	DX3-PSB32M8WP
RAINMASTER	DX3-PSB32P	RAINMASTER	DX3-PSB40
RAINMASTER	DX3-PSB40M8C	RAINMASTER	DX3-PSB40M8CP
RAINMASTER	DX3-PSB40M8U	RAINMASTER	DX3-PSB40M8UP
RAINMASTER	DX3-PSB40M8W	RAINMASTER	DX3-PSB40M8WP
RAINMASTER	DX3-PSB40P	RAINMASTER	DX3-PSB48
RAINMASTER	DX3-PSB48M8C	RAINMASTER	DX3-PSB48M8CP
RAINMASTER	DX3-PSB48M8U	RAINMASTER	DX3-PSB48M8UP
RAINMASTER	DX3-PSB48M8W	RAINMASTER	DX3-PSB48M8WP
RAINMASTER	DX3-PSB48P	RAINMASTER	DX3-PSBTW
RAINMASTER	DX3-PSBTWM8C	RAINMASTER	DX3-PSBTWM8CP
RAINMASTER	DX3-PSBTWM8U	RAINMASTER	DX3-PSBTWM8UP
RAINMASTER	DX3-PSBTWM8W	RAINMASTER	DX3-PSBTWM8WP
RAINMASTER	DX3-PSBTWP	RAINMASTER	DX3-PWM08

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal WaterSmart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PWM08M8C	RAINMASTER	DX3-PWM08M8CP
RAINMASTER	DX3-PWM08M8U	RAINMASTER	DX3-PWM08M8UP
RAINMASTER	DX3-PWM08M8W	RAINMASTER	DX3-PWM08M8WP
RAINMASTER	DX3-PWM08P	RAINMASTER	DX3-PWM16
RAINMASTER	DX3-PWM16M8C	RAINMASTER	DX3-PWM16M8CP
RAINMASTER	DX3-PWM16M8U	RAINMASTER	DX3-PWM16M8UP
RAINMASTER	DX3-PWM16M8W	RAINMASTER	DX3-PWM16M8WP
RAINMASTER	DX3-PWM16P	RAINMASTER	DX3-PWM24
RAINMASTER	DX3-PWM24M8C	RAINMASTER	DX3-PWM24M8CP
RAINMASTER	DX3-PWM24M8U	RAINMASTER	DX3-PWM24M8UP
RAINMASTER	DX3-PWM24M8W	RAINMASTER	DX3-PWM24M8WP
RAINMASTER	DX3-PWM24P	RAINMASTER	DX3-PWM32
RAINMASTER	DX3-PWM32M8C	RAINMASTER	DX3-PWM32M8CP
RAINMASTER	DX3-PWM32M8U	RAINMASTER	DX3-PWM32M8UP
RAINMASTER	DX3-PWM32M8W	RAINMASTER	DX3-PWM32M8WP
RAINMASTER	DX3-PWM32P	RAINMASTER	DX3-PWM40
RAINMASTER	DX3-PWM40M8C	RAINMASTER	DX3-PWM40M8CP
RAINMASTER	DX3-PWM40M8U	RAINMASTER	DX3-PWM40M8UP
RAINMASTER	DX3-PWM40M8W	RAINMASTER	DX3-PWM40M8WP
RAINMASTER	DX3-PWM40P	RAINMASTER	DX3-PWM48
RAINMASTER	DX3-PWM48M8C	RAINMASTER	DX3-PWM48M8CP
RAINMASTER	DX3-PWM48M8U	RAINMASTER	DX3-PWM48M8UP
RAINMASTER	DX3-PWM48M8W	RAINMASTER	DX3-PWM48M8WP
RAINMASTER	DX3-PWM48P	RAINMASTER	DX3-PWMTW
RAINMASTER	DX3-PWMTWM8C	RAINMASTER	DX3-PWMTWM8CP
RAINMASTER	DX3-PWMTWM8U	RAINMASTER	DX3-PWMTWM8UP
RAINMASTER	DX3-PWMTWM8W	RAINMASTER	DX3-PWMTWM8WP
RAINMASTER	DX3-PWMTWP	RAINMASTER	DX3-SPED08
RAINMASTER	DX3-SPED08M8C	RAINMASTER	DX3-SPED08M8CP
RAINMASTER	DX3-SPED08M8U	RAINMASTER	DX3-SPED08M8UP
RAINMASTER	DX3-SPED08M8W	RAINMASTER	DX3-SPED08M8WP
RAINMASTER	DX3-SPED08P	RAINMASTER	DX3-SPED16
RAINMASTER	DX3-SPED16M8C	RAINMASTER	DX3-SPED16M8CP
RAINMASTER	DX3-SPED16M8U	RAINMASTER	DX3-SPED16M8UP
RAINMASTER	DX3-SPED16M8W	RAINMASTER	DX3-SPED16M8WP
RAINMASTER	DX3-SPED16P	RAINMASTER	DX3-SPED24
RAINMASTER	DX3-SPED24M8C	RAINMASTER	DX3-SPED24M8CP
RAINMASTER	DX3-SPED24M8U	RAINMASTER	DX3-SPED24M8UP
RAINMASTER	DX3-SPED24M8W	RAINMASTER	DX3-SPED24M8WP
RAINMASTER	DX3-SPED24P	RAINMASTER	DX3-SPED32

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SPED32M8C	RAINMASTER	DX3-SPED32M8CP
RAINMASTER	DX3-SPED32M8U	RAINMASTER	DX3-SPED32M8UP
RAINMASTER	DX3-SPED32M8W	RAINMASTER	DX3-SPED32M8WP
RAINMASTER	DX3-SPED32P	RAINMASTER	DX3-SPED40
RAINMASTER	DX3-SPED40M8C	RAINMASTER	DX3-SPED40M8CP
RAINMASTER	DX3-SPED40M8U	RAINMASTER	DX3-SPED40M8UP
RAINMASTER	DX3-SPED40M8W	RAINMASTER	DX3-SPED40M8WP
RAINMASTER	DX3-SPED40P	RAINMASTER	DX3-SPED48
RAINMASTER	DX3-SPED48M8C	RAINMASTER	DX3-SPED48M8CP
RAINMASTER	DX3-SPED48M8U	RAINMASTER	DX3-SPED48M8UP
RAINMASTER	DX3-SPED48M8W	RAINMASTER	DX3-SPED48M8WP
RAINMASTER	DX3-SPED48P	RAINMASTER	DX3-SPEDHY08
RAINMASTER	DX3-SPEDHY08M8C	RAINMASTER	DX3-SPEDHY08M8CP
RAINMASTER	DX3-SPEDHY08M8U	RAINMASTER	DX3-SPEDHY08M8UP
RAINMASTER	DX3-SPEDHY08M8W	RAINMASTER	DX3-SPEDHY08M8WP
RAINMASTER	DX3-SPEDHY08P	RAINMASTER	DX3-SPEDHY16
RAINMASTER	DX3-SPEDHY16M8C	RAINMASTER	DX3-SPEDHY16M8CP
RAINMASTER	DX3-SPEDHY16M8U	RAINMASTER	DX3-SPEDHY16M8UP
RAINMASTER	DX3-SPEDHY16M8W	RAINMASTER	DX3-SPEDHY16M8WP
RAINMASTER	DX3-SPEDHY16P	RAINMASTER	DX3-SPEDHY24
RAINMASTER	DX3-SPEDHY24M8C	RAINMASTER	DX3-SPEDHY24M8CP
RAINMASTER	DX3-SPEDHY24M8U	RAINMASTER	DX3-SPEDHY24M8UP
RAINMASTER	DX3-SPEDHY24M8W	RAINMASTER	DX3-SPEDHY24M8WP
RAINMASTER	DX3-SPEDHY24P	RAINMASTER	DX3-SPEDHY32
RAINMASTER	DX3-SPEDHY32M8C	RAINMASTER	DX3-SPEDHY32M8CP
RAINMASTER	DX3-SPEDHY32M8U	RAINMASTER	DX3-SPEDHY32M8UP
RAINMASTER	DX3-SPEDHY32M8W	RAINMASTER	DX3-SPEDHY32M8WP
RAINMASTER	DX3-SPEDHY32P	RAINMASTER	DX3-SPEDHY40
RAINMASTER	DX3-SPEDHY40M8C	RAINMASTER	DX3-SPEDHY40M8CP
RAINMASTER	DX3-SPEDHY40M8U	RAINMASTER	DX3-SPEDHY40M8UP
RAINMASTER	DX3-SPEDHY40M8W	RAINMASTER	DX3-SPEDHY40M8WP
RAINMASTER	DX3-SPEDHY40P	RAINMASTER	DX3-SPEDHY48
RAINMASTER	DX3-SPEDHY48M8C	RAINMASTER	DX3-SPEDHY48M8CP
RAINMASTER	DX3-SPEDHY48M8U	RAINMASTER	DX3-SPEDHY48M8UP
RAINMASTER	DX3-SPEDHY48M8W	RAINMASTER	DX3-SPEDHY48M8WP
RAINMASTER	DX3-SPEDHY48P	RAINMASTER	DX3-SPEDTW
RAINMASTER	DX3-SPEDTWM8C	RAINMASTER	DX3-SPEDTWM8CP
RAINMASTER	DX3-SPEDTWM8U	RAINMASTER	DX3-SPEDTWM8UP
RAINMASTER	DX3-SPEDTWM8W	RAINMASTER	DX3-SPEDTWM8WP
RAINMASTER	DX3-SPEDTWP	RAINMASTER	DX3-SWM08

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SWM08M8C	RAINMASTER	DX3-SWM08M8CP
RAINMASTER	DX3-SWM08M8U	RAINMASTER	DX3-SWM08M8UP
RAINMASTER	DX3-SWM08M8W	RAINMASTER	DX3-SWM08P
RAINMASTER	DX3-SWM16	RAINMASTER	DX3-SWM16M8C
RAINMASTER	DX3-SWM16M8CP	RAINMASTER	DX3-SWM16M8U
RAINMASTER	DX3-SWM16M8UP	RAINMASTER	DX3-SWM16M8W
RAINMASTER	DX3-SWM16M8WP	RAINMASTER	DX3-SWM16P
RAINMASTER	DX3-SWM24	RAINMASTER	DX3-SWM24M8C
RAINMASTER	DX3-SWM24M8CP	RAINMASTER	DX3-SWM24M8U
RAINMASTER	DX3-SWM24M8UP	RAINMASTER	DX3-SWM24M8W
RAINMASTER	DX3-SWM24M8WP	RAINMASTER	DX3-SWM24P
RAINMASTER	DX3-SWM32	RAINMASTER	DX3-SWM32M8C
RAINMASTER	DX3-SWM32M8CP	RAINMASTER	DX3-SWM32M8U
RAINMASTER	DX3-SWM32M8UP	RAINMASTER	DX3-SWM32M8W
RAINMASTER	DX3-SWM32M8WP	RAINMASTER	DX3-SWM32P
RAINMASTER	DX3-SWM40	RAINMASTER	DX3-SWM40M8C
RAINMASTER	DX3-SWM40M8CP	RAINMASTER	DX3-SWM40M8U
RAINMASTER	DX3-SWM40M8UP	RAINMASTER	DX3-SWM40M8W
RAINMASTER	DX3-SWM40M8WP	RAINMASTER	DX3-SWM40P
RAINMASTER	DX3-SWM48	RAINMASTER	DX3-SWM48M8C
RAINMASTER	DX3-SWM48M8CP	RAINMASTER	DX3-SWM48M8U
RAINMASTER	DX3-SWM48M8UP	RAINMASTER	DX3-SWM48M8W
RAINMASTER	DX3-SWM48M8WP	RAINMASTER	DX3-SWM48P
RAINMASTER	DX3-SWMTW	RAINMASTER	DX3-SWMTWM8C
RAINMASTER	DX3-SWMTWM8CP	RAINMASTER	DX3-SWMTWM8U
RAINMASTER	DX3-SWMTWM8UP	RAINMASTER	DX3-SWMTWM8W
RAINMASTER	DX3-SWMTWM8WP	RAINMASTER	DX3-SWMTWP
RAINMASTER	DX42-PSB	RAINMASTER	DX42-PWM
RAINMASTER	DX42-SPED	RAINMASTER	DX42-SWM
RAINMASTER	DX42-UFEN	RAINMASTER	DX48-PSB
RAINMASTER	DX48-PWM	RAINMASTER	DX48-SPED
RAINMASTER	DX48-SWM	RAINMASTER	DX48-UFEN
RAINMASTER	DX6-PSB	RAINMASTER	DX6-PWM
RAINMASTER	DX6-SPED	RAINMASTER	DX6-SWM
RAINMASTER	DX6-UFEN	RAINMASTER	EGP-16-i
RAINMASTER	EGP-16-i-S	RAINMASTER	EGP-16-i-SPED
RAINMASTER	EGP-24-i	RAINMASTER	EGP-24-i-S
RAINMASTER	EGP-24-i-SPED	RAINMASTER	EGP-32-i
RAINMASTER	EGP-32-i-S	RAINMASTER	EGP-32-i-SPED
RAINMASTER	EGP-40-i	RAINMASTER	EGP-40-i-S

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal WaterSmart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	EGP-40-i-SPED	RAINMASTER	EGP-48-i
RAINMASTER	EGP-48-i-S	RAINMASTER	EGP-48-i-SPED
RAINMASTER	EGP-8-i	RAINMASTER	EGP-8-i-PSB
RAINMASTER	EGP-8-i-S	RAINMASTER	EGP-8-i-SPED
RAINMASTER	EGP-TWi	RAINMASTER	EGP-TWi-PSD
RAINMASTER	EGP-TWi-S	RAINMASTER	EGP-TWi-SPED
RAINMASTER	RME12EGi-B	RAINMASTER	RME12EGi-SB
RAINMASTER	RME12EGi-SPED	RAINMASTER	RME12EGi-SPEDT
RAINMASTER	RME12EGi-ST	RAINMASTER	RME12EGi-T
RAINMASTER	RME12EGi-W	RAINMASTER	RME18EGi-B
RAINMASTER	RME18EGi-SB	RAINMASTER	RME18EGi-SPED
RAINMASTER	RME18EGi-SPEDT	RAINMASTER	RME18EGi-ST
RAINMASTER	RME18EGi-T	RAINMASTER	RME18EGi-W
RAINMASTER	RME24EGi-B	RAINMASTER	RME24EGi-SB
RAINMASTER	RME24EGi-SPED	RAINMASTER	RME24EGi-SPEDT
RAINMASTER	RME24EGi-ST	RAINMASTER	RME24EGi-T
RAINMASTER	RME24EGi-W	RAINMASTER	RME30EGi-B
RAINMASTER	RME30EGi-SB	RAINMASTER	RME30EGi-SPED
RAINMASTER	RME30EGi-SPEDT	RAINMASTER	RME30EGi-ST
RAINMASTER	RME30EGi-T	RAINMASTER	RME30EGi-W
RAINMASTER	RME36EGi-B	RAINMASTER	RME36EGi-SB
RAINMASTER	RME36EGi-SPED	RAINMASTER	RME36EGi-SPEDT
RAINMASTER	RME36EGi-ST	RAINMASTER	RME36EGi-T
RAINMASTER	RME36EGi-W	RAINMASTER	RME6EGi-B
RAINMASTER	RME6EGi-SB	RAINMASTER	RME6EGi-SPED
RAINMASTER	RME6EGi-SPEDT	RAINMASTER	RME6EGi-ST
RAINMASTER	RME6EGi-T	RAINMASTER	RME6EGi-W
RAINMASTER	TW-DX48-PSB	RAINMASTER	TW-DX48-PWM
RAINMASTER	TW-DX48-SPED-T	RAINMASTER	TW-DX48-SWM
RAINMASTER	TW-EGi-36-SPEDT	RAINMASTER	TW-EGi-36-ST
RAINMASTER	TW-EGi-36-T	Scotts	70001-1
Scotts	70001A2	Scotts	70003-1
Smart Rain	SR03	Smart Rain	V038984
Spruce	PS-SPRWIFI16-01	Toro	53855
TORO	SBAyyyy	TORO	SBDyyyy
TORO	SBWxxyyyz	TORO	SBxxyyyz
TORO	SCxxyyyz	Toro	TIS-X-*
Toro	TIS-XP-*	Tucor, Inc.	LTD
Tucor, Inc.	RKD	Tucor, Inc.	RKD+
Tucor, Inc.	RKS	Tucor, Inc.	RKS+

Weather Based Irrigation Controllers Qualifying Products List as of Sept 10, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Tucor, Inc.	RKW+	Weathermatic	SL1604-SLW1
Weathermatic	SL1604-SLW15	Weathermatic	SL1604-SLW5
Weathermatic	SL1608-SLW1	Weathermatic	SL1608-SLW15
Weathermatic	SL1608-SLW5	Weathermatic	SL1612-SLW1
Weathermatic	SL1612-SLW15	Weathermatic	SL1612-SLW5
Weathermatic	SL1616-SLW1	Weathermatic	SL1616-SLW15
Weathermatic	SL1616-SLW5	Weathermatic	SL1620-SLW1
Weathermatic	SL1620-SLW15	Weathermatic	SL1620-SLW5
Weathermatic	SL1624-SLW1	Weathermatic	SL1624-SLW15
Weathermatic	SL1624-SLW5	Weathermatic	SL2412-SLW5
Weathermatic	SL2424-SLW5	Weathermatic	SL4812-SLW1
Weathermatic	SL4812-SLW15	Weathermatic	SL4812-SLW5
Weathermatic	SL4824-SLW1	Weathermatic	SL4824-SLW15
Weathermatic	SL4824-SLW5	Weathermatic	SL4836-SLW1
Weathermatic	SL4836-SLW15	Weathermatic	SL4836-SLW5
Weathermatic	SL4848-SLW1	Weathermatic	SL4848-SLW15
Weathermatic	SL4848-SLW5	Weathermatic	SL804-SLW1
Weathermatic	SL804-SLW15	Weathermatic	SL804-SLW5
Weathermatic	SL806-SLW1	Weathermatic	SL806-SLW15
Weathermatic	SL806-SLW5	Weathermatic	SL808-SLW1
Weathermatic	SL808-SLW15	Weathermatic	SL808-SLW5
Weathermatic	SL9600TW-SLW1	Weathermatic	SL9600TW-SLW5

For more information, call **888-376-3314** or visit www.bewaterwise.com