

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|---------------------|--------------|---------------------|
| Aeon Matrix | LTEyyxx | Aeon Matrix | LTPyyxx |
| Aeon Matrix | PROyyxx | Aeon Matrix | YDNYyyxx |
| Banyan Water | Vine8 | Baseline | BL-1000CSSE-KIT |
| Baseline | BL-1000CSSE-KIT-R12 | Baseline | BL-1000CSSE-KIT-R24 |
| Baseline | BL-1000CSSE-KIT-R36 | Baseline | BL-1000CSSE-KIT-R48 |
| Baseline | BL-1000P | Baseline | BL-1000P-DC |
| Baseline | BL-1000P-R12 | Baseline | BL-1000P-R24 |
| Baseline | BL-1000P-R36 | Baseline | BL-1000P-R48 |
| Baseline | BL-1000P-R60 | Baseline | BL-1000P-R72 |
| Baseline | BL-1000PSS | Baseline | BL-1000PSS-DC |
| Baseline | BL-1000PSS-R12 | Baseline | BL-1000PSS-R24 |
| Baseline | BL-1000PSS-R36 | Baseline | BL-1000PSS-R48 |
| Baseline | BL-1000PSS-R60 | Baseline | BL-1000PSS-R72 |
| Baseline | BL-1000SS-KIT | Baseline | BL-1000SS-KIT-R12 |
| Baseline | BL-1000SS-KIT-R24 | Baseline | BL-1000SS-KIT-R36 |
| Baseline | BL-1000SS-KIT-R48 | Baseline | BL-1000X |
| Baseline | BL-1000X-DC | Baseline | BL-1000X-R12 |
| Baseline | BL-1000X-R24 | Baseline | BL-1000X-R36 |
| Baseline | BL-1000X-R48 | Baseline | BL-1000XS |
| Baseline | BL-1000XS-DC | Baseline | BL-1000XS-R12 |
| Baseline | BL-1000XS-R24 | Baseline | BL-1000XS-R36 |
| Baseline | BL-1000XS-R48 | Baseline | BL-3200CSSE-KIT |
| Baseline | BL-3200CSSE-KIT-R12 | Baseline | BL-3200CSSE-KIT-R24 |
| Baseline | BL-3200CSSE-KIT-R36 | Baseline | BL-3200CSSE-KIT-R48 |
| Baseline | BL-3200P | Baseline | BL-3200P-DC |
| Baseline | BL-3200P-R12 | Baseline | BL-3200P-R24 |
| Baseline | BL-3200P-R36 | Baseline | BL-3200P-R48 |
| Baseline | BL-3200P-R60 | Baseline | BL-3200P-R72 |
| Baseline | BL-3200PSS | Baseline | BL-3200PSS-DC |
| Baseline | BL-3200PSS-R12 | Baseline | BL-3200PSS-R24 |
| Baseline | BL-3200PSS-R36 | Baseline | BL-3200PSS-R48 |
| Baseline | BL-3200PSS-R60 | Baseline | BL-3200PSS-R72 |
| Baseline | BL-3200SS-KIT | Baseline | BL-3200SS-KIT-R12 |
| Baseline | BL-3200SS-KIT-R24 | Baseline | BL-3200SS-KIT-R36 |
| Baseline | BL-3200SS-KIT-R48 | Baseline | BL-3200X |
| Baseline | BL-3200X-DC | Baseline | BL-3200X-R12 |
| Baseline | BL-3200X-R24 | Baseline | BL-3200X-R36 |
| Baseline | BL-3200X-R48 | Baseline | BL-3200XS |
| Baseline | BL-3200XS-DC | Baseline | BL-3200XS-R12 |
| Baseline | BL-3200XS-R24 | Baseline | BL-3200XS-R36 |

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|---------------------------|--------------|-----------------------|
| Baseline | BL-3200XS-R48 | Calsense | CS3-2W-XXX, YY |
| Calsense | CS3-XX-XXX, YY | ET Water | 105 |
| ET Water | 205W-* | H2OPro | HA-1060-8 |
| Hunter | HC-1200i | Hunter | HC-1201i* |
| Hunter | HC-600i | Hunter | HC-601i* |
| Hunter | HCC-800M | Hunter | HCC-800PL |
| Hunter | HCC-800PP | Hunter | HCC-800SS |
| Hunter | HPC-400 | Hunter | HPC-401* |
| Hunter | PHC-1200 | Hunter | PHC-1200i |
| Hunter | PHC-1201* | Hunter | PHC-1201i* |
| Hunter | PHC-2400 | Hunter | PHC-2400i |
| Hunter | PHC-2401* | Hunter | PHC-2401i* |
| Hunter | PHC-600 | Hunter | PHC-600i |
| Hunter | PHC-601* | Hunter | PHC-601i* |
| HydroPoint | WTLC-C-X-PL | HydroPoint | WTLC-C-X-PL |
| HydroPoint | WTLC-C-X-PL-F | HydroPoint | WTLC-C-X-PL-F |
| HydroPoint | WTOXR-1224-PROUPG | HydroPoint | WTOXR-1224-PROUPG-CH7 |
| HydroPoint | WTOXR-3048-PROUPG | HydroPoint | WTOXR-3048-PROUPG-CH7 |
| HydroPoint | WTOXR-72-PROUPG | HydroPoint | WTOXR-72-PROUPG-CH7 |
| HydroPoint | WTOXR-96-PROUPG | HydroPoint | WTOXR-96-PROUPG-CH7 |
| HydroPoint | WTOXR-C-X-CH1-* | HydroPoint | WTOXR-C-X-CH2-* |
| HydroPoint | WTOXR-C-X-CH4-* | HydroPoint | WTOXR-C-X-CH5-* |
| HydroPoint | WTOXR-C-X-CH7-* | HydroPoint | WTOXR-C-X-CH8-* |
| HydroPoint | WTOXR-C-X-CWM-* | HydroPoint | WTOXR-C-X-SPH-* |
| HydroPoint | WTOXR-C-X-SPS-* | HydroPoint | WTOXR-C-X-SPT-* |
| HydroPoint | WTOXR-C-X-STW-* | HydroPoint | WTOXR-C-X-SWM-* |
| HydroPoint | WTPRO2S-B-X-CH1 | HydroPoint | WTPRO2S-B-X-CH2 |
| HydroPoint | WTPRO2S-B-X-CH4 | HydroPoint | WTPRO2S-B-X-CH5 |
| HydroPoint | WTPRO2S-B-X-CH7 | HydroPoint | WTPRO2S-B-X-CWM |
| HydroPoint | WTPRO2S-B-X-SPH | HydroPoint | WTPRO2S-B-X-SPS |
| HydroPoint | WTPRO2S-B-X-SPT | HydroPoint | WTPRO2S-B-X-SWM |
| HydroPoint | WTPRO2S-C-X-CH1 | HydroPoint | WTPRO2S-C-X-CH2 |
| HydroPoint | WTPRO2S-C-X-CH4 | HydroPoint | WTPRO2S-C-X-CH5 |
| HydroPoint | WTPRO2S-C-X-CH7 | HydroPoint | WTPRO2S-C-X-CWM |
| HydroPoint | WTPRO2S-C-X-SPH | HydroPoint | WTPRO2S-C-X-SPS |
| HydroPoint | WTPRO2S-C-X-SPT | HydroPoint | WTPRO2S-C-X-SWM |
| HydroPoint | WTPRO3-1224-PRO3UPG | HydroPoint | WTPRO3-3048-PRO3UPG |
| HydroPoint | WTPRO3-3048-PRO3UPG (CH7) | HydroPoint | WTPRO3-C-12-CH1-UPG |
| HydroPoint | WTPRO3-C-12-CH2-UPG | HydroPoint | WTPRO3-C-12-CH4-UPG |

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|---------------------|--------------|---------------------|
| HydroPoint | WTPRO3-C-12-CH5-UPG | HydroPoint | WTPRO3-C-18-CH1-UPG |
| HydroPoint | WTPRO3-C-18-CH2-UPG | HydroPoint | WTPRO3-C-18-CH4-UPG |
| HydroPoint | WTPRO3-C-18-CH5-UPG | HydroPoint | WTPRO3-C-24-CH1-UPG |
| HydroPoint | WTPRO3-C-24-CH2-UPG | HydroPoint | WTPRO3-C-24-CH4-UPG |
| HydroPoint | WTPRO3-C-24-CH5-UPG | HydroPoint | WTPRO3-C-30-CH1-UPG |
| HydroPoint | WTPRO3-C-30-CH2-UPG | HydroPoint | WTPRO3-C-30-CH4-UPG |
| HydroPoint | WTPRO3-C-30-CH5-UPG | HydroPoint | WTPRO3-C-36-CH1-UPG |
| HydroPoint | WTPRO3-C-36-CH2-UPG | HydroPoint | WTPRO3-C-36-CH4-UPG |
| HydroPoint | WTPRO3-C-36-CH5-UPG | HydroPoint | WTPRO3-C-42-CH1-UPG |
| HydroPoint | WTPRO3-C-42-CH2-UPG | HydroPoint | WTPRO3-C-42-CH4-UPG |
| HydroPoint | WTPRO3-C-42-CH5-UPG | HydroPoint | WTPRO3-C-48-CH1-UPG |
| HydroPoint | WTPRO3-C-48-CH2-UPG | HydroPoint | WTPRO3-C-48-CH4-UPG |
| HydroPoint | WTPRO3-C-48-CH5-UPG | HydroPoint | WTPRO3-C-X-CH1-* |
| HydroPoint | WTPRO3-C-X-CH2-* | HydroPoint | WTPRO3-C-X-CH4-* |
| HydroPoint | WTPRO3-C-X-CH5-* | HydroPoint | WTPRO3-C-X-CH7-* |
| HydroPoint | WTPRO3-C-X-CWM-* | HydroPoint | WTPRO3-C-X-SPH-* |
| HydroPoint | WTPRO3-C-X-SPS-* | HydroPoint | WTPRO3-C-X-SPT-* |
| HydroPoint | WTPRO3-C-X-STW-* | HydroPoint | WTPRO3-C-X-SWM-* |
| HydroPoint | WTSY-C-X-PL | HydroPoint | WTSY-C-X-PL-F |
| Hydro-Rain | 04550 | Hydro-Rain | 04554 |
| Hydro-Rain | 04080L | Hydro-Rain | 04082L |
| Hydro-Rain | HRC-400-WF-08 | Hydro-Rain | HRC-400-WF-16 |
| Hydro-Rain | HRC-410-WF-04 | Hydro-Rain | HRC-410-WF-08 |
| Moen | WICNT008G1CAN | Moen | WICNT008G1USA |
| Moen | WICNT016G1CAN | Moen | WICNT016G1USA |
| Netafim USA | NLC-100D | Netafim USA | NLC-100S |
| Netafim USA | NLC-100S | NETRO | Spark-16 |
| NETRO | Spark-8 | NETRO | Sprite-12 |
| NETRO | Sprite-12-INT | NETRO | Sprite-6 |
| NETRO | Sprite-6-INT | Orbit B-hyve | 57915 |
| Orbit B-hyve | 57925 | Orbit B-hyve | 57946 |
| Orbit B-hyve | 57950 | Orbit B-hyve | 57985 |
| Orbit B-hyve | 57995 | Orbit B-hyve | 91915 |
| Orbit B-hyve | 91925 | Orbit B-hyve | 91946 |
| Orbit B-hyve | 91950 | Orbit B-hyve | 94546 |
| Orbit B-hyve | 94550 | Orbit B-hyve | 94870 |
| Orbit B-hyve | 94872 | Orbit B-hyve | 94915 |
| Orbit B-hyve | 94925 | Orbit B-hyve | 96046 |
| Orbit B-hyve | 96050 | Orbit B-hyve | 96870 |
| Orbit B-hyve | 96872 | Orbit B-hyve | 96915 |

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|----------------|--------------|----------------|
| Orbit B-hyve | 96925 | Rachio | 12ZULWC* |
| Rachio | 12ZULW-C* | Rachio | 16ZULW* |
| Rachio | 16ZULWB* | Rachio | 16ZULW-B* |
| Rachio | 16ZULWBPRO* | Rachio | 16ZULWC* |
| Rachio | 16ZULW-C* | Rachio | 4ZULW-C* |
| Rachio | 6ZULWC* | Rachio | 6ZULW-C* |
| Rachio | 8ZULW* | Rachio | 8ZULWB* |
| Rachio | 8ZULW-B* | Rachio | 8ZULWBPRO* |
| Rachio | 8ZULWC* | Rachio | 8ZULW-C* |
| Rachio | Iro 16 Zone | Rachio | Iro 8 Zone |
| Rachio | RACHIO3-1600* | Rachio | RACHIO3-800* |
| Rain Bird | ARC6I | Rain Bird | ARC8 |
| Rain Bird | RC2 | Rain Bird | ST8I-2.0 |
| Rain Bird | ST8O-2.0 | RAINMASTER | EGP-16-i |
| RAINMASTER | EGP-16-i-S | RAINMASTER | EGP-16-i-SPED |
| RAINMASTER | EGP-24-i | RAINMASTER | EGP-24-i-S |
| RAINMASTER | EGP-24-i-SPED | RAINMASTER | EGP-32-i |
| RAINMASTER | EGP-32-i-S | RAINMASTER | EGP-32-i-SPED |
| RAINMASTER | EGP-40-i | RAINMASTER | EGP-40-i-S |
| RAINMASTER | EGP-40-i-SPED | RAINMASTER | EGP-48-i |
| RAINMASTER | EGP-48-i-S | RAINMASTER | EGP-48-i-SPED |
| RAINMASTER | EGP-8-i | RAINMASTER | EGP-8-i-PSB |
| RAINMASTER | EGP-8-i-S | RAINMASTER | EGP-8-i-SPED |
| RAINMASTER | EGP-TWi | RAINMASTER | EGP-TWi-PSD |
| RAINMASTER | EGP-TWi-S | RAINMASTER | EGP-TWi-SPED |
| RAINMASTER | RME12EGi-B | RAINMASTER | RME12EGi-SB |
| RAINMASTER | RME12EGi-SPED | RAINMASTER | RME12EGi-SPEDT |
| RAINMASTER | RME12EGi-ST | RAINMASTER | RME12EGi-T |
| RAINMASTER | RME12EGi-W | RAINMASTER | RME18EGi-B |
| RAINMASTER | RME18EGi-SB | RAINMASTER | RME18EGi-SPED |
| RAINMASTER | RME18EGi-SPEDT | RAINMASTER | RME18EGi-ST |
| RAINMASTER | RME18EGi-T | RAINMASTER | RME18EGi-W |
| RAINMASTER | RME24EGi-B | RAINMASTER | RME24EGi-SB |
| RAINMASTER | RME24EGi-SPED | RAINMASTER | RME24EGi-SPEDT |
| RAINMASTER | RME24EGi-ST | RAINMASTER | RME24EGi-T |
| RAINMASTER | RME24EGi-W | RAINMASTER | RME30EGi-B |
| RAINMASTER | RME30EGi-SB | RAINMASTER | RME30EGi-SPED |
| RAINMASTER | RME30EGi-SPEDT | RAINMASTER | RME30EGi-ST |
| RAINMASTER | RME30EGi-T | RAINMASTER | RME30EGi-W |
| RAINMASTER | RME36EGi-B | RAINMASTER | RME36EGi-SB |

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|------------------|--------------|------------------|
| RAINMASTER | RME36EGi-SPED | RAINMASTER | RME36EGi-SPEDT |
| RAINMASTER | RME36EGi-ST | RAINMASTER | RME36EGi-T |
| RAINMASTER | RME36EGi-W | RAINMASTER | RME6EGi-B |
| RAINMASTER | RME6EGi-SB | RAINMASTER | RME6EGi-SPED |
| RAINMASTER | RME6EGi-SPEDT | RAINMASTER | RME6EGi-ST |
| RAINMASTER | RME6EGi-T | RAINMASTER | RME6EGi-W |
| RAINMASTER | TW-EGi-36-SPEDT | RAINMASTER | TW-EGi-36-ST |
| RAINMASTER | TW-EGi-36-T | Smart Rain | SR03 |
| Smart Rain | SR04 | Smart Rain | SR04.5 |
| Smart Rain | SSR04.2 | Smart Rain | V038984 |
| TORO | 53855 | Tucor, Inc. | LTD |
| Tucor, Inc. | RKD | Tucor, Inc. | RKD+ |
| Tucor, Inc. | RKS | Tucor, Inc. | RKS+ |
| Tucor, Inc. | RKW+ | Weathermatic | SL1604-SLW1 |
| Weathermatic | SL1604-SLW15 | Weathermatic | SL1604-SLW5 |
| Weathermatic | SL1604-WIFI-SLW1 | Weathermatic | SL1604-WIFI-SLW5 |
| Weathermatic | SL1608-SLW1 | Weathermatic | SL1608-SLW15 |
| Weathermatic | SL1608-SLW5 | Weathermatic | SL1608-WIFI-SLW1 |
| Weathermatic | SL1608-WIFI-SLW5 | Weathermatic | SL1612-SLW1 |
| Weathermatic | SL1612-SLW15 | Weathermatic | SL1612-SLW5 |
| Weathermatic | SL1612-WIFI-SLW1 | Weathermatic | SL1612-WIFI-SLW5 |
| Weathermatic | SL1616-SLW1 | Weathermatic | SL1616-SLW15 |
| Weathermatic | SL1616-SLW5 | Weathermatic | SL1616-WIFI-SLW1 |
| Weathermatic | SL1616-WIFI-SLW5 | Weathermatic | SL1620-SLW1 |
| Weathermatic | SL1620-SLW15 | Weathermatic | SL1620-SLW5 |
| Weathermatic | SL1624-SLW1 | Weathermatic | SL1624-SLW15 |
| Weathermatic | SL1624-SLW5 | Weathermatic | SL2412-SLW5 |
| Weathermatic | SL2424-SLW5 | Weathermatic | SL4812-SLW1 |
| Weathermatic | SL4812-SLW15 | Weathermatic | SL4812-SLW5 |
| Weathermatic | SL4824-SLW1 | Weathermatic | SL4824-SLW15 |
| Weathermatic | SL4824-SLW5 | Weathermatic | SL4836-SLW1 |
| Weathermatic | SL4836-SLW15 | Weathermatic | SL4836-SLW5 |
| Weathermatic | SL4848-SLW1 | Weathermatic | SL4848-SLW15 |
| Weathermatic | SL4848-SLW5 | Weathermatic | SL804-SLW1 |
| Weathermatic | SL804-SLW15 | Weathermatic | SL804-SLW5 |
| Weathermatic | SL806-SLW1 | Weathermatic | SL806-SLW15 |
| Weathermatic | SL806-SLW5 | Weathermatic | SL808-SLW1 |
| Weathermatic | SL808-SLW15 | Weathermatic | SL808-SLW5 |
| Weathermatic | SL9600TW-SLW1 | Weathermatic | SL9600TW-SLW5 |
| Wyze | WSPRK1 | | |

Weather Based Irrigation Controllers Qualifying Products List as of July 25, 2024

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

| <u>BRAND</u> | <u>MODEL</u> | <u>BRAND</u> | <u>MODEL</u> |
|--------------|--------------|--------------|--------------|
|--------------|--------------|--------------|--------------|

For more information, call **888-376-3314** or visit **www.bewaterwise.com**